

**git**

# whoami

Steven Burgess

Developer @ Datto Infrastructure Team

git master

zfs ....understander?

# **git master**

GitHub administration

github-hooks integration

repository planning and maintenance

**using git**

# using git

You already know how to do it.

# **using git**

You already know how to do it.

You probably already do.

# using git

.....why!?!??!

\*.php

\*.php-20120824\_mdc\_timezone

\*.php.pre\_lightpath

\*-bku.php

\*-new.php

\*.php.hb-2013-06-04

\*2.php

\*2-old.php

# using git

You just don't know the commands yet.

# choices

SVN

Git

mercurial

Perforce

**is git hard?**

**is git hard?**

yes.

**is git hard?**

yes.

**why?**

**is git hard?**

yes.

**why?**

because source control is hard.

```
def foo{  
  $list = system.call("ls *.pdf")  
  if($list)  
    log("success")  
  else  
    log("fail")  
}
```

```
def foo{  
  $list = system.call("ls *.pdf")  
  if($list)  
    log("success")  
  else  
    log("fail")  
}
```

```
def foo{  
  $list = dir.listFiles("*.pdf")  
  log($list.isEmpty())  
}
```

```
def foo{
  $list = system.call("ls *.pdf")
  if($list)
    log("success")
  else
    log("fail")
}
```

```
def foo{
  $list = dir.listFiles("*.pdf")
  log($list.isEmpty())
}
```

```
def foo{
  $list = system.call("ls *.pdf")
  if($list)
    logger.log_info($this, $list)
  else
    logger.log_error($this, "call failed")
}
```

?

```
def foo{  
  $list = dir.listFiles("*.pdf")  
  log($list.isEmpty())  
}
```

```
def foo{  
  $list = system.call("ls *.pdf")  
  if($list)  
    logger.log_info($this, $list)  
  else  
    logger.log_error($this, "call failed")  
}
```

# Define

commit

# Define

## commit

```
/home/sburgess/projects/linux > git cat-file -p HEAD  
tree dd65155eb5a9410e83c5b0d760c099f9fbb7719c  
parent fedc1ed0f11be666de066b0c78443254736a942e  
author Linus Torvalds <torvalds@linux-foundation.org> 1396237215 -0700  
committer Linus Torvalds <torvalds@linux-foundation.org> 1396237215 -0700
```

Linux 3.14

```
/home/sburgess/projects/linux > git cat-file commit 1da177e4c3f41524e886b7f1b8a0c1fc7321cac2  
tree 0bba044c4ce775e45a88a51686b5d9f90697ea9d  
author Linus Torvalds <torvalds@ppc970.osdl.org> 1113690036 -0700  
committer Linus Torvalds <torvalds@ppc970.osdl.org> 1113690036 -0700
```

Linux-2.6.12-rc2

Initial git repository build. I'm not bothering with the full history, even though we have it. We can create a separate "historical" git archive of that later if we want to, and in the meantime it's about 3.2GB when imported into git - space that would just make the early git days unnecessarily complicated, when we don't have a lot of good infrastructure for it.

Let it rip!



**Define**

HEAD

# Define

HEAD

moves via

commit checkout rebase merge



**use the command line**

# **use the command line**

git has 62 porcelain commands  
plenty more plumbing commands

... and a ton of --arguments

# use the command line

---



**We can't automatically merge this pull request.**

Use [the command line](#) to resolve conflicts before continuing.

 Merge pull request

# use the command line



## We can't automatically merge this pull request.

Use the [command line](#) to resolve conflicts before continuing.

Merge pull request

### Checkout via command line

If you cannot merge a pull request automatically here, you have the option of checking it out via command line to resolve conflicts and perform a manual merge.

HTTP Git Patch `git://github-server.datto.lan:jgiacobbi/siris-os-2.git`

**Step 1:** Check out a new branch to test the changes — run this from your project directory

```
git checkout -b jgiacobbi-misc/continuumCountry development
```

**Step 2:** Bring in jgiacobbi's changes and test

```
git pull git@github-server.datto.lan:jgiacobbi/siris-os-2.git misc/continuumCountry
```

**Step 3:** Merge the changes and update the server

```
git checkout development
git merge jgiacobbi-misc/continuumCountry
git push origin development
```

# command line git

bash aliases

[github.com/stevenburgess/dotfiles/](https://github.com/stevenburgess/dotfiles/)

.sab\_bashrc

around line 22

# command line git

using git you can bind

git s to git status

git l to git log --graph --decorate=short

easier to use bash to make them

gs

gl

# command line git

```
git config core.editor "vim"
```

```
git config color.ui auto
```

# command line git

gcom =

git commit -v

```
adds cludVM admin to the vhost update
```

```
Apparently this code gets replicated to both partners and admin, so this new vhost script places it in both halves.
```

```
# Please enter the commit message for your changes. Lines starting
# with '#' will be ignored, and an empty message aborts the commit.
# HEAD detached at 3eb475a
# Changes to be committed:
#   (use "git reset HEAD^1 <file>..." to unstage)
#
#       modified:   user/vhostUpdate.py
#
diff --git a/user/vhostUpdate.py b/user/vhostUpdate.py
index 02eeeb2..345dc25 100644
--- a/user/vhostUpdate.py
+++ b/user/vhostUpdate.py
@@ -30,11 +30,16 @@ repositories['Admin Portal'] = {
     'repository': 'admin-web',
     'destination': '/var/www/vhosts/admin.dattobackup.com/httpdocs/'
 }
-repositories['CloudVM UI'] = {
+repositories['CloudVM partners'] = {
     'organization': 'dfuhry',
     'repository': 'cloudvm-ui',
     'destination': '/var/www/vhosts/partners.dattobackup.com/httpsdocs/cl
oudvm-ui/'
 }
+repositories['CloudVM admin'] = {
+
+     'organization': 'dfuhry',
+     'repository': 'cloudvm-ui',
+     'destination': '/var/www/vhosts/admin.dattobackup.com/httpsdocs/cloud
VM/'
+
+ }
+
+repositories['Partners Portal'] = {
     'organization': 'portal-team',
     'repository': 'partners-web',

```

```
~/projects/webteam-scripts/.git/COMMIT_EDITMSG[gitcommit] 1,3/35 All
```

```
".git/COMMIT_EDITMSG" 35L, 1225C
```

```
[talk] 1:git*
```

```
burgess
```

# command line git

gcom =

git commit -v

~~git commit -am~~

```
adds cludVM admin to the vhost update
```

```
Apparently this code gets replicated to both partners and admin, so this new vhost script places it in both halves.
```

```
# Please enter the commit message for your changes. Lines starting
# with '#' will be ignored, and an empty message aborts the commit.
# HEAD detached at 3eb475a
# Changes to be committed:
#   (use "git reset HEAD^1 <file>..." to unstage)
#
#       modified:   user/vhostUpdate.py
#
diff --git a/user/vhostUpdate.py b/user/vhostUpdate.py
index 02eeeb2..345dc25 100644
--- a/user/vhostUpdate.py
+++ b/user/vhostUpdate.py
@@ -30,11 +30,16 @@ repositories['Admin Portal'] = {
     'repository': 'admin-web',
     'destination': '/var/www/vhosts/admin.dattobackup.com/httpdocs/'
 }
-repositories['CloudVM UI'] = {
+repositories['CloudVM partners'] = {
     'organization': 'dfuhry',
     'repository': 'cloudvm-ui',
     'destination': '/var/www/vhosts/partners.dattobackup.com/httpsdocs/cloudvm-ui/'
 }
+repositories['CloudVM admin'] = {
+    'organization': 'dfuhry',
+    'repository': 'cloudvm-ui',
+    'destination': '/var/www/vhosts/admin.dattobackup.com/httpsdocs/cloud
VM/'
+    }
repositories['Partners Portal'] = {
    'organization': 'portal-team',
    'repository': 'partners-web',
```

```
~/projects/webteam-scripts/.git/COMMIT_EDITMSG[gitcommit] 1,3/35 All
```

```
".git/COMMIT_EDITMSG" 35L, 1225C
```

```
[talk] 1:git*
```

```
burgess
```

# command line git

git log

--format=short

```
commit 9e897e13bd46fa03485468609741974259a8c573
Merge: 4ba8526 1f6630
Author: Linus Torvalds <torvalds@linux-foundation.org>

Merge branch 'for-linus' of git://git.open-osd.org/linux-open-osd

commit 4ba85265790ba3681deef73f018c0eb829a7341
Merge: dd76a78 562c7ce
Author: Linus Torvalds <torvalds@linux-foundation.org>

Merge branch 'for_linus' of git://cavan.codon.org.uk/platform-drivers-x86

commit dd76a786af1f09e9122e150d30156e094e2a94b4
Merge: e7990d4 360f92c
Author: Linus Torvalds <torvalds@linux-foundation.org>

Merge branch 'for-linus' of git://git.kernel.dk/linux-block

commit e7990d45bb88c2f0565b5ee4c32eeef81653faff
Merge: 190a399 a5065eb
Author: Linus Torvalds <torvalds@linux-foundation.org>

Merge tag 'sound-fix-3.15-rc1' of git://git.kernel.org/pub/scm/linux/kernel/git/t

commit 190a3998be3ede25d6145e187d6d321f504d28fb
Merge: 4162877 9477165
Author: Linus Torvalds <torvalds@linux-foundation.org>

Merge branch 'next' of git://git.kernel.org/pub/scm/linux/kernel/git/rzhang/linux

commit 562c7cec1e92be85ade6f65fff107651e10ee2ed
Author: Mario Limonciello <mario_limonciello@dell.com>

alienware-wmi: cover some scenarios where memory allocations would fail

commit 4162877d3ffa900b618c369c490c7faa6af60e47
Merge: 6c61403 14f5716
Author: Linus Torvalds <torvalds@linux-foundation.org>

Merge branch 'for-next' of git://git.kernel.org/pub/scm/linux/kernel/git/cooloney

commit 6c61403a446b5ee54c21cecabdc821acf06f96bf
Merge: edf2377 8673bce
Author: Linus Torvalds <torvalds@linux-foundation.org>

Merge branch 'for-linus' of git://git.infradead.org/users/vkoul/slave-dma


commit edf2377c4776ce20ae990f27f0248e88a37e25c4
Merge: 39de65a f1740e4
Author: Linus Torvalds <torvalds@linux-foundation.org>
:[]
[talk] 1:git*
burgess
```

# command line git

git log

--format=short

Same As GitHub UI



The screenshot shows the GitHub interface for the repository `torvalds/linux` at the `master` branch. The commit history is displayed in a list format, showing the most recent commits at the top. The commits are as follows:

- Merge tag 'dm-3.15-fixes' of git://git.kernel.org/pub/scm/linux/kerne...** by torvalds, authored 3 days ago. (Highlighted in yellow)
- Merge branch 'x86-urgent-for-linus' of git://git.kernel.org/pub/scm/lin...** by torvalds, authored 3 days ago.
- Merge tag 'for-linus' of git://git.kernel.org/pub/scm/virt/kvm/kvm** by torvalds, authored 3 days ago.
- Merge branch 'for-linus' of git://git.kernel.org/pub/scm/linux/kernel...** by torvalds, authored 3 days ago.
- May 01, 2014** (Section separator)
- Merge tag 'rdma-for-linus' of git://git.kernel.org/pub/scm/linux/kerne...** by torvalds, authored 4 days ago.
- Merge branch 'parisc-3.15-3' of git://git.kernel.org/pub/scm/linux/ke...** by torvalds, authored 4 days ago.
- dm cache: fix writethrough mode quiescing in cache\_map** by snlrm, authored 4 days ago.
- Merge tag 'pinctrl-v3.15-3' of git://git.kernel.org/pub/scm/linux/ker...** by torvalds, authored 4 days ago.
- Merge tag 'fixes-for-linus' of git://git.kernel.org/pub/scm/linux/ker...** by torvalds, authored 4 days ago.
- parisc: Use generic uapi/asm/resource.h file** by Helge Deller, authored 6 days ago.
- parisc: remove\_STK\_LIM\_MAX override** by John David Anglin, authored 8 days ago. (Pushed by Helge Deller, committed 4 days ago)
- Hexagon: Delete stale barrier.h** by Vineet Gupta, authored 17 days ago. (Committed by torvalds, 4 days ago)
- Merge branch 'perf-urgent-for-linus' of git://git.kernel.org/pub/scm/lin...** by torvalds, authored 4 days ago.
- Merge tag 'hwmon-for-linus' of git://git.kernel.org/pub/scm/linux/ker...** by torvalds, authored 4 days ago.
- word-at-a-time: simplify big-endian zero\_bytemask macro** by H. Peter Anvin, authored 5 days ago. (Committed by torvalds, 4 days ago)
- Merge git://git.kvack.org/~bcr/laio-fixes** by torvalds, authored 4 days ago.

At the bottom of the page, there are navigation links: `< Newer` and `Older >`.

# command line git

git log

--format=short

```
commit 9e897e13bd46fa03485468609741974259a8c573
Merge: 4ba8526 1f6630
Author: Linus Torvalds <torvalds@linux-foundation.org>

Merge branch 'for-linus' of git://git.open-osd.org/linux-open-osd

commit 4ba85265790ba3681deef73f018c0eb829a7341
Merge: dd76a78 562c7ce
Author: Linus Torvalds <torvalds@linux-foundation.org>

Merge branch 'for_linus' of git://cavan.codon.org.uk/platform-drivers-x86

commit dd76a786af1f09e9122e150d30156e094e2a94b4
Merge: e7990d4 360f92c
Author: Linus Torvalds <torvalds@linux-foundation.org>

Merge branch 'for-linus' of git://git.kernel.dk/linux-block

commit e7990d45bb88c2f0565b5ee4c32eeef81653faff
Merge: 190a399 a5065eb
Author: Linus Torvalds <torvalds@linux-foundation.org>

Merge tag 'sound-fix-3.15-rc1' of git://git.kernel.org/pub/scm/linux/kernel/git/t

commit 190a3998be3ede25d6145e187d6d321f504d28fb
Merge: 4162877 9477165
Author: Linus Torvalds <torvalds@linux-foundation.org>

Merge branch 'next' of git://git.kernel.org/pub/scm/linux/kernel/git/rzhang/linux

commit 562c7cec1e92be85ade6f65fff107651e10ee2ed
Author: Mario Limonciello <mario_limonciello@dell.com>

alienware-wmi: cover some scenarios where memory allocations would fail

commit 4162877d3ffa900b618c369c490c7faa6af60e47
Merge: 6c61403 14f5716
Author: Linus Torvalds <torvalds@linux-foundation.org>

Merge branch 'for-next' of git://git.kernel.org/pub/scm/linux/kernel/git/cooloney

commit 6c61403a446b5ee54c21cecabdc821acf06f96bf
Merge: edf2377 8673bce
Author: Linus Torvalds <torvalds@linux-foundation.org>

Merge branch 'for-linus' of git://git.infradead.org/users/vkoul/slave-dma

commit edf2377c4776ce20ae990f27f0248e88a37e25c4
Merge: 39de65a f1740e4
Author: Linus Torvalds <torvalds@linux-foundation.org>
:[]
[talk] 1:git*
burgess
```



# command line git

git =

git log

--graph

--decorate=short

[--stat,--all]

```
they no longer push to stage.
They are using machines in the office to test changes, and the dev
branch is the culmination of those changes.
* commit 1fcb910393f851cada37bc2dbf57cd94061e19ab
/ Author: Steven Burgess <sburgess@dattobackup.com>
/ Date: Fri Mar 14 10:08:14 2014 -0400
    adds the usr lib section
* commit 2f578cffeaa6a02a39b366443db7f83c04cf1ff3 (dato-common)
| Author: Steven Burgess <sburgess@dattobackup.com>
| Date: Fri Mar 14 10:08:14 2014 -0400
    adds the usr lib section
* commit e89563fb1ca2d8abdd6c256b8e7ad1c087cfadf5 (origin/store-web)
/ Author: Steven Burgess <sburgess@dattobackup.com>
/ Date: Wed Mar 12 17:57:09 2014 -0400
    adds store-web
* commit 1fe095a2aa8b57d04ba9d32e0821dd8756b5d3ab (refs/stash)
\ Merge: 5438680 9f0e499
| Author: Steven Burgess <sburgess@dattobackup.com>
| Date: Wed Mar 12 17:52:02 2014 -0400
    On namedtuples: the botom half
* commit 9f0e499aaf5067075fe58ce825a6c5de64dc31fc
/ Author: Steven Burgess <sburgess@dattobackup.com>
/ Date: Wed Mar 12 17:52:02 2014 -0400
    index on namedtuples: 5438680 covert the top half to using named tuples
* commit 5438680b445cab4a93206a1c1b3f12fe5cc296eb (HEAD, origin/namedtuples, namedtuples)
/ Author: Steven Burgess <sburgess@dattobackup.com>
/ Date: Mon Mar 10 18:04:22 2014 -0400
    covert the top half to using named tuples
* commit 372ac5e1aaf4c01a26eb37c365da4d733ffc706
| Author: Steven Burgess <sburgess@dattobackup.com>
| Date: Mon Mar 10 13:28:17 2014 -0400
    adds tv-stats
* commit 50d39aab350f203cbf31d3d9b2b0113afd699f4d
| Author: Steven Burgess <sburgess@dattobackup.com>
|
```

{work} 1:ssh 2:connection-tests 3:dev-virt-103 4:ADMIN 5:zfs-tests 6:vim- 7:log\* burges

# **command line git**

Interact with other repos

# command line git

Interact with other repos

fetch

push

# command line git

git fetch

--all

-p

# **command line git**

```
git push remote local_branch:remote_branch
```

# command line git

```
git push remote local_branch:remote_branch
```

```
git push github docs:readme_fix
```

# command line git

```
git push remote local_branch:remote_branch
```

```
git push github master:readme_fix
```

**the .git directory**

# the .git directory

```
cat .git/HEAD
```

```
vim .git/config
```

# the .git directory

~~cat .git/HEAD~~

git show HEAD

~~vim .git/config~~

git remote [-v | add]

git branch -v

git checkout -b branch remote/ref

# test area

```
git clone git@github.com:user/repo TEST
```

# how

<http://git-scm.com/book>

<http://tom.preston-werner.com/2009/05/19/the-git-parable.html>